MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION FORM
CALENDAR YEAR 2012
Public Water Supply Name

TELLISEU WATER OUTTEL

List PWS ID #s for all Community Water Sy	8
The Federal Safe Drinking Water Act (SDWA) requires each Commic Consumer Confidence Report (CCR) to its customers each year. Depaystem, this CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures vof electronic delivery, we request you mail or fax a hard copy of the check all boxes that apply.	unity public water system to develop and distribute a pending on the population served by the public water id in a newspaper of local circulation, or provided to the when distributing the CCR. Since this is the first year the CCR and Certification Form to MSDH. Please
☐ Customers were informed of availability of CCR by: (Attach	copy of publication, water bill or other)
Advertisement in local paper (attach copy of On water bills (attach copy of bill) Email message (MUST Email the message Other	to the address below)
Date(s) customers were informed: 4/2///3.	
CCR was distributed by U.S. Postal Service or other dir methods used	
Date Mailed/Distributed: 6 /12/13	
CCR was distributed by Email (MUST Email MSDH a copy As a URL (Provide URL As an attachment As text within the body of the email message	
CCR was published in local newspaper. (Attach copy of publ	ished CCR or proof of publication)
Name of Newspaper: Desoto Times Tribun	Q
Date Published://	
☐ CCR was posted in public places. (Attach list of locations)	Date Posted: 6/12/13
CCR was posted on a publicly accessible internet site at the fo	ollowing address (<u>DIRECT URL REQUIRED</u>):
WWW. Obms.us	
CERTIFICATION I hereby certify that the 2012 Consumer Confidence Report (CC public water system in the form and manner identified above a the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public was Department of Health, Bureau of Public Water Supply.	nd that I used distribution methods allowed by s CCR is true and correct and is consistent with ater system officials by the Mississippi State
Name/Title (President, Mayor, Owner, etc.)	(e/27/13 Date
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply	May be faxed to: (601)576-7800
P.O. Box 1700 Jackson, MS 39215	May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

TOWERS WATER SUPPLE

205FION 28 PM 4: 09 RECEIVED PN: Pleasant Hill Water Quality 2 1 2013

CITY OF OLIVE BRANCH

Affidavit of Publication DESOTO TIMES-TRIBUNE

STATE OF MISSISSIPPE) SS

DIANE SMITH, being duty sworn, says:

That she is a Clerk of the DESOTO TIMES-TRIBUNE, a Intal site is determined the December of General circulation in said county, published in Hernando, DeSoto County, Mississippi; that the publication, a copy of which is printed hierorin, was published in the said newspaper on the following dates: June 20, 2013

That said newspaper was regularly issued and circulated

Subscribed to and sworn to me this 20th day of June


JUDY DOUGLAS, Notary, DeSoto County, Mississippi

Standard of State | St

My commission expires: January 15, 2017

00004375 00021951

Judy Herrington City of Olive Branch 9200 Pigeon Roost Olive Branch, MS 38654



Berry or And	NA.	4	,	NA.		2012	₹ 74		Ry-grouper of debaling
HAASI (1994)			11	12		2912	No.		Administration and to a
mo.\									Aceston Control Control
emphis Callege	0.00	X40242	2000	20,50	22.2	N7754	\$356Y	25	Fancies of Subart Septe
							1	- 1	
Territor (pere)			1.4	0,99	125	2513	×-	. 1	rections strong Neth.
(P) (P)		1					1		hadage ktm ferviore
						⊢	ļ		cheenen fignetes Kanni Bons Gestons s
Come (personal se				: 1		l	Ε.		
paralia (bana)	10	10	974	12.4		2617	۱ ۱۰		
l		L		i		<u></u>	L)	
Description Control	64065			700	253	<u>अपुण्य</u>	\$992K	23	1944 (Sept. 2012)
	0	ю	9.3	NA	·	2012	N.		Deutico el Calcard Septe
Printer Co.	<u> </u>	(C) 4(V)	12.00	33.00	200			Sec.	100000000000000000000000000000000000000
), į, į. () = 35 wikowezas	b)	1		No. 1		2012	⊷ ا		imbun forestain
		1 ~	, ,,	'^^			1 7		Securing Securies
				T*****			Τ.,	-	Nacharus Completions
hitematical .	30	145	105	NA		2012) No	. :	Nucleage from Mount Sendod femana
n-1				i —i	_	<u> </u>	f		hadaye bus provin
(Mean Intel)	1 13	10	0.5	SA		2012	۱×,	. 3	Spaces, Daniery de
		1	1.	1		i	i	1	the process of the same of the
N. Kircome Plane		,		1 -		1	1		hecharge bran-
i erranenmeneme	- 1	٠,	03	NA.		2012	1 8		Management of the later
) Dubles Assures	ļ	<u></u>	ŧ	+	e		1	-	hadarar from values
(act)	e/a	100	n,	N۸		2612] K-		Ancheryr from colours Account factories
pph)	ļ	ţ	1	!		2017	T		
M*1		1 23	6:	NA.		1017	_~		
		1	1	7		Γ.	1		derbug from PAT Pa
majirkanik (gye)		1 3	0.5	. NA		2017	Į 34	٠ ;	hadarje for phris
1.14h-biern-Vales	·			·	-	Į	·f.~~~	~~	Darkers fort of the
India		١,	0.5	NA.		2263	24	. 1	Dankarge State of Last beganged Sanatan
C2-Dellimenter	 			NA.	_	2012	I N		Darkway krongahadi
(reb)	1 4	,	0.5	1		1 2012	1	_	Actival General
control 2	i	1		1		1	T		Doctory: from indus
	100	116	6.7	NA		5011	M		Septical factories
Teght	_		1	****		-	٠.		
LLL-Tribblesotta	J	1	. i	. l×	ŀ	20	. 1	Ne	Sin boat flow per Septance rites and
(49k)	~ No	220	1 63	1 1	١,	100	"1	1-6	Spiration 190
Cobin Townships				-4-	1	~	-		Triange describe
(pph)	* e		3 65	i K	4	1 20	n	No	Prince and only but
		i		-4-	4		-+		Declary Dom to
2-Dubbargrope	4 1		e:	X	١.	10	12	Νe	thereign bearing
r2	-	~			~~		\neg		Charles for main
The kinner deplement	1 .	٠,	61	- ×	4	1 20	17	×	
property of	1		_1		-F	- 1	-		factories
1,12 Crksterman	٠,	١,	4:	FΚ	4	N	12	÷	Discharge Error MA
Intraction of present	4	-1			4~	~j:-	-1-	_	
(Ma)	۰ ۱	11	- 5	×	`	_ №	·21	150	357 134000
(Statement	Τ			-1-	7	1.			Day a serie from ohe
Protections in the	= 100	194	9 6	5 N	^1	170	*2 1	Me	printed their
Ft				-+-	+-				
Property (1988)	ı,		1 .	, l	۸I	30	12	No.	Lowledg Dath pel
			-4-	1		-4			Exertage Both per leads and lead (4) hashings from per
Enhance (mont)	1 7			1 N	. t	1 20	12	Ko-	Exercise non-per
					-i-	4-			Natharge Feet per
AND MAKE STATE	ı ×ar	10	0 4	1 1	^1	£ 2:	123	No.	
				_1-	1		1		Parkery Account
Proceedings.	190	10	0 } =	۰ I-	4		22	260	Party Section 2
	-			-4-	-	برابو		are:	
1 2		.1	10	. 18	-T	2.7	inster.	1"	at Towns
SHAMMAN.		والع	L.	بالمد	93 1.	35.116		4	The sale
March Const		Services.	april 1			Sec.	Serve.	وجده	t Inch
and - somethered	ej e	1 45		- 1	26.72	;	4	í.	
COUNTY ME LET			.i			.á		4.	Subanisti
Sport and G	.,	13			2500	ì	_	1	Specifical class
MARKET COLOR DICT			1 6	- 1		1		1	3rd natural degree
0.57									

MCLE MCC. THE RESERVED

THE THE PERSON NAMED IN COLUMN TO SHARE

Contrable 1992	NROLL.		J. WHAVE-	THE STATE OF	2						
[]SCATS (Corel Federal Soundhardes) (pp)	NA.	44	1433	240	Typeratus of deleting water maintenance						
	AP2402	×9.57	12 W	D055500							
146					Apparation						
- S.S.			1 ug 1.: Number of exist grown of reforence in one that of water								
EFT			fyed, parts per suckton, or pathgrams per feet [trg 1)								
120			parts per billion, or sucregram per heir (r.g. 1.)								
N'A			KA sal applicable								
NO.		~	ND. Nor descript								
38			NZ Markeling and imposed his managements								
Injurial Problem W	to be been	100	387	E STATE OF S							
les					Shiffeicica						
		NACT.	St Marm	MAIN CAMPAINA	pt Lanel God. The boot of a commerce						
SECTO			to deploy upon betta which there is no brown or repected with the								
			Tall C. Maximum Consument Lore). The highest lovel of a contemn								
SECT		MC S	. Minnistra	- (with and	the Birth a supplier or common the MCT. Co.						
		1	1 female were the best gap table weathers to hearing?								
VI		77	Treasure	Totale !	I make the process in the property of the second the						
			Sout of a control of the disking ways.								
A ¹			AL ADR	Level These	machina of a compress which, if						
		274	exceeded. Higgses treatment as other travites which a better eye								
			VX45 4+2	acapiere S	uce to 12% permission and of decision in						
Vision to the sequence		1	OF A PROSTORED INCOME UNDER CHARGE CANADA								
			CARNILL M	ECONORS PSESS	at drasorina kret pas the knot of a						
Marsell	9	chains when deprojected before which there is no harme at a special and is bookly highlight. On the set reflect the hearthis of the test of									
		Emirigion of the real females arressing in resonance and									
				The Constant	department Km I. The highest level of						
		460									
MANA			ablain of a Confinence accounty for convert of recruited								
MNE			MNR - Mosslood Nat Rapeleted								
501			NET : Many Assessment State over Entransible Land								